# 7-½"X 9⁄16"

# AMERICAN WHITE OAK

*The photographs on our website showcase the highest grade *(Select and Better)* of our products. Please note that as our products are made from real wood, variations in color are natural. For a clearer understanding of these variations, we recommend visiting a retail store.

# DETAILS

| | |
|---|---|
| Brand Name: | Vidar Design Flooring |
| Collection: | 7-½''x 9⁄16" Inch American White Oak Collection |
| Grade Avaliablility | Character/Select/Select and Better |
| Species: | American White Oak |
| Structure: | Engineered Multi-layer Hardwood |
| Veneer: | 3mm Dry Sawn Cut Wood Layer |
| Finish: | BONA UV Lacquered |
| Gloss Level: | Ultral Matte |
| Bevel: | Micro-V Bevel(on 4 Sides) |
| Radiant Heat: | Hydronic Radiant Heat Compatible |
| Size: | 7-1/2'' X 9/16'' X RL (UP 84'' / 7 ft)<br>*(195mm x14.5mm)* |
| Square Feet per Box: | 34.18 sq.ft |
| Texture: | Wire Brush |
| Length: | Random Length (23.6"- 82.6")(600mm-2100mm), full Length 33%-50% |
| Weight per Box: | 55 Lbs |
| Box per Skid: | 40 Boxes/Skid |
| Skid Size: | 4 Feet x 8 Feet x 4 Feet |
| Hardness(Janka): | 1360 |
| Installation: | Tongue and groove profile, nail down installation with glue assist is recommended |
| Certification: | NOA, FSC, EPH,CARB 2, Floor score |
| Warranty: | Limited 35 years finish warranty, lifetime structural warranty |
| Ideal Humidity Range: | 40%-50% |
| Ideal Temperature Range: | 68°F - 72°F |

# 7-½"X 9⁄16"AMERICAN WHITE OAK COLLECTION

## IMPORTANT NOTICE

VIDAR floors are made from real wood, not manufactured imitations. As wood is a natural material, each plank of VIDAR flooring features unique characteristics, including naturally occurring variations in color, grain, and texture.

Please note that showroom samples and photographs are intended to provide a general representation of the product. However, they may not fully reflect the natural diversity in appearance found in the actual flooring. It is strongly recommended that customers inspect the product thoroughly before installation to ensure it meets their expectations in terms of quality and aesthetics.

Once installed, the flooring will be considered accepted by the customer.

Please be aware that natural wood may undergo color changes over time due to exposure to ambient light. These changes are a normal part of the aging process and may enrich the floor's overall appearance.

**Note:** Product availability and specifications are subject to change without prior notice.

For detailed installation instructions, maintenance guidelines, and warranty information, please visit:
VIDARFLOORING.COM